| | | | Hazard to human health | | | | |
|---|------------------------------|----------------------------|---------------------------------|-----------------------------|------------------------|-----------------------|---------|
| | Bioaccumulation and tainting | Damage to living resources | Oral intake | Skin contact and inhalation | Reduction of amenities | | |
| Name | А | В | С | D | E | Status | Remarks |
| | | | | | | | |
| Alcohol(C6-C17)(secondary) poly (3-6)ethoxylate | 0 | 4 | 1 | 0 | 0 | NC | |
| Alcohol(C6-C17)(secondary) poly (3-6)ethoxylate Alcohol(C6-C17)(secondary) poly(7-12)ethoxylate | 0 | 4 3 | 1 | 0 | 0 | NC NC | |
| | | | | | | | |
| Alcohol(C6-C17)(secondary) poly(7-12)ethoxylate | 0 | 3 | 1 | 0 | 0 | NC | |
| Alcohol(C6-C17)(secondary) poly(7-12)ethoxylate Alcohol(C12-C16) poly(1-6)ethoxylates | 0 | 3 | 1 | 0 I | 0 X | NC (R) | |
| Alcohol(C6-C17)(secondary) poly(7-12)ethoxylate Alcohol(C12-C16) poly(1-6)ethoxylates Alcohol(C8-C11) poly(2.5-9)ethoxylates | 0 0 0 | 3 4 3 | 1 1 1 | 0 I I | 0 X X | NC (R) R | |
| Alcohol(C6-C17)(secondary) poly(7-12)ethoxylate Alcohol(C12-C16) poly(1-6)ethoxylates Alcohol(C8-C11) poly(2.5-9)ethoxylates Alcohol(C12-C16 poly (20 and above)ethoxylates | 0 0 0 | 3 4 3 2 | 1 1 1 1 | 0 I I | 0 X X X | NC (R) R (R) | |

⁼ Addition

R = Revised (R) = Revised in name only C = Confirmed NC = Not changed

| Alkyl(C11-C13)benzenesulphonates, straight chain | 0 | 3 | 1 | 0 | 0 | R | |
|---|---|-----|-----|----|-----|---------------------|--------------------|
| Alkylbenzenesulphonates, straight chain | 0 | (4) | 1 | 0 | 0 | A | |
| Name | A | В | С | D | Е | Status ² | Remarks |
| Alkyl(C4-C20) ester copolymer (LOA) | 0 | 0 | 0 | II | XX | (R) | |
| Alkyl(C8-C40)phenol sulphide (LOA) | 0 | 0 | 0 | 0 | XX | R | |
| Alkyl(C8-C9)phenylamine, in aromatic solvent (LOA) | T | 3 | 2 | II | XX | (R) | |
| Alkyl[(C8-C10)/(C12-C14)]:(50%/50%)polyglucoside mixture solution (max 55% active material) | 0 | 2 | 1 | I | 0 | A | |
| Alkyl[(C8-C10)/(C12-C14)]:(≤40%/≥60%)polyglucoside mixture solution (max 55% active material) | 0 | 3 | 1 | I | 0 | A | |
| Alkyl[(C8-C10)/(C12-C14)]:(≥60%/≤40%)polyglucoside mixture solution (max 55% active material) | 0 | 2 | 1 | I | 0 | A | |
| Alkyl(C12-C14)polyglucoside solution (max 55% active material) | 0 | 3 | 1 | I | 0 | A | |
| Alkyl(C8-C10)polyglucoside solution (max 65% active material) | 0 | 2 | 1 | I | 0 | A | |
| Alkylsulphonic acid ester of phenol (MESAMOLL) | 0 | 0 | 0 | 0 | 0 | R | |
| Barium peroxide | 0 | 2 | (3) | II | XX | C | |
| Bromoacetone | 0 | (4) | (3) | II | XXX | NC | Potent lachrymator |
| Butyl n-amyl ketone | T | 3 | - | - | - | NC | |
| Butyl heptyl ketone | 0 | (3) | - | - | - | R | |
| 1-(4-Chlorophenyl)-4,4-dimethylpentan-3-one | 0 | 3 | 1 | 0 | XX | R | |
| Copper salt of long chain(>C17) alkanoic acid (LOA) | 0 | 1 | 1 | I | XX | (R) | |

R = Revised

(R) = Revised in name only

= Confirmed

NC = Not changed

A = Addition

| Copper sulphate (solution) | + | 4 | 3 | I | XX | A | |
|--------------------------------------|---|-----|-----|----|-----|---------------------|---------------------------------|
| 1,3-Cyclopentadiene dimer (molten) | T | 3 | 2 | II | XXX | R | Lachrymator |
| Name | A | В | C | D | Е | Status ² | Remarks |
| Cyclopentanone | 0 | 0 | (1) | II | XX | NC | |
| Dialkyldiphenylamines (LOA) | 0 | 1 | 0 | I | XX | R | |
| Di-n-butyl ketone | T | 3 | 1 | I | X | NC | |
| Diisopropyl ketone | - | 2 | 1 | - | - | R | |
| N,N-Dimethyldodecylamine | + | 4 | (2) | II | XXX | A | |
| 3,5-Dimethylpyridine | 0 | (2) | - | - | - | A | |
| Dodecyl hydroxypropyl sulphide (LOA) | + | 4 | 0 | 0 | X | R | |
| Ethyl amyl ketone | T | 2 | - | - | - | NC | |
| Ethyl tert-butyl ether | 0 | 2 | 0 | I | X | NC | |
| Ethyl butyl ketone | T | 2 | 1 | I | X | NC | |
| Hexafluoroacetone hydrate | 0 | - | 2 | II | XX | NC | |
| HiTEC 4728 (LOA) | T | 0 | 0 | I | XX | C | |
| HiTEC 4738 (LOA) | T | 0 | 0 | I | XX | C | |
| Low boiling alkylpyridines | - | - | - | - | - | A | |
| 4-Methoxy-4-methylpentan-2-one | 0 | 0 | 1 | I | X | R | |
| Methyl butyl ketone | 0 | 1 | 1 | II | XXX | C | Neurotoxic; Testicular toxicity |
| Methylcyclohexanones | 0 | (1) | 1 | - | - | R | |
| Methyl isopropenyl ketone | 0 | - | 2 | II | XX | NC | |

R = Revised (R) = Revised in name only

A = Addition C = Confirmed NC = Not changed

L:\MED\GESAMP\EHS\REPORT32.AN6

| Methyl n-nonyl ketone | T | 3 | 1 | - | - | R | |
|---|---|-----|---|----|-----|---------------------|---------------------|
| Methyl n-octyl ketone | T | 3 | 0 | - | - | R | |
| Name | A | В | С | D | Е | Status ² | Remarks |
| | | | | | | | |
| Methyl vinyl ketone | 0 | - | 3 | II | XXX | NC | |
| Nonyl(C6-C12)phenol poly (4-12)ethoxylate | 0 | 3 | 1 | I | X | C | |
| Phosgene | 0 | - | - | II | XX | R | Delayed lung injury |
| Phosphate esters, alkyl(C12-C14)amine (LOA) | 0 | 3 | 0 | 0 | XX | R | |
| Polyisobutenyl anhydride adduct | 0 | 0 | 0 | I | X | A | |
| Polyolefinamide alken(C16+)amine (LOA) | 0 | 0 | 1 | I | XX | (R) | |
| Potassium formate solution (75% or more) | 0 | 0 | 0 | I | X | R | |
| Pyridine bases | 0 | (3) | - | - | - | A | |
| Sodium formate | - | - | 0 | I | X | A | |
| Sulfurized fat(C14-C20) (LOA) | 0 | 1 | 0 | 0 | XX | R | |
| Sulfurized polyolefinamide alkene(C28-C250)amine (LOA) | 0 | 0 | 0 | 0 | XX | R | |
| Triphenylphosphate | + | 4 | 1 | I | XX | R | ChE inhibitor |
| Triphenyl phosphate/ <i>tert</i> -butylated triphenyl phosphate mixtures containing 15-48% of triphenyl phosphate | + | 4 | 1 | I | XX | R | ChE inhibitor |
| Viscoplex 5011B | 0 | 0 | 0 | I | XX | R | |

A = Addition R = Revised

C = Confirmed (R) = Revised in name only

NC = Not changed

ANNEX 6

LIST OF SUBSTANCES CONSIDERED AT THE THIRTY-SECOND SESSION OF THE GESAMP WORKING GROUP ON THE EVALUATION OF THE HAZARDS OF HARMFUL SUBSTANCES CARRIED BY SHIPS¹

An abbreviated legend to the hazard profiles is set out in Appendix hereto.

EHS 32/11 ANNEX 6 Page 2 EHS 32/11 ANNEX 6 Page 4

APPENDIX

ABBREVIATED LEGEND TO THE HAZARD PROFILES

Column A - Bioaccumulation and Tainting

- Bioaccumulated to significant extent and known to produce a hazard to aquatic life or human health
- Z Bioaccumulated with attendant risk to aquatic organisms or human health, however with short retention of the order of one week or less
- T Liable to produce tainting of seafood
- 0 No evidence to support one of the above ratings (+ , Z, T)

Column B - Damage to living resources

| Rating | gs . | 96 hr LC50 |
|--------|---|------------------------|
| 5 | Extremely toxic | less than 0.01 mg/l |
| 4 | Highly toxic | less than 1 mg/l |
| 3 | Moderately toxic | 1-10 mg/l |
| 2 | Slightly toxic | 10-100 mg/l |
| 1 | Practically non-toxic | 100-1000 mg/l |
| 0 | Non-hazardous | greater than 1000 mg/l |
| D | Substance likely to blanket the sea-bed | |
| BOD | Substance with oxygen demand | |

Column C - Hazard to human health by oral intake

| Ratings | |
|---------|--|
| LD50 | |

(laboratory mammal)

| 4 | Highly hazardous | less than 5 mg/kg |
|---|---------------------------|-------------------------|
| 3 | Moderately hazardous | 5-50 mg/kg |
| 2 | Slightly hazardous | 50-500 mg/kg |
| 1 | Practically non-hazardous | 500-5000 mg/kg |
| 0 | Non-hazardous | greater than 5000 mg/kg |

Column D - Hazard to human health by skin and eye contact or inhalation

- II Hazardous (severe irritation, strong sensitizer, lung injury, percutaneous toxicity, carcinogenic, or other specific long-term adverse health effect)
- I Slightly hazardous (mild irritation, weak sensitizer)
- 0 Non-hazardous (non-irritant, not a sensitizer)

Column E - Reduction of amenities

- XXX Highly objectionable because of persistency, smell or poisonous or irritant characteristics; as a result contaminated beaches liable to be closed; also used when there is clear evidence that the substance is a human carcinogen or that the substance has the potential to produce other serious specific long-term adverse health effects in humans.
- Moderately objectionable because of the above characteristics, but short-term effects leading only to temporary interference with use of beaches; also used when there is credible scientific evidence that the substance is an animal carcinogen but where there is no clear evidence to indicate that the material has caused cancer in humans, or when there is evidence from laboratory studies that the substance could have the potential to produce other serious specific long-term adverse health effects.
- X Slightly objectionable, non-interference with use of beaches
- 0 No problem

Ratings in brackets, (), indicate insufficient data available to the GESAMP experts on specific substances, hence extrapolation was required.

- N Not applicable (e.g. if gases)
- Indicate data were not available to the GESAMP Working Group

Note: The descriptive terms such as highly toxic, non-hazardous, etc., were used by the original panel for the purposes of the 1973 International Conference on Marine Pollution. They have no particular significance in terms of hazard posed outside the particular circumstances addressed by that Conference and IMO, i.e. marine pollution as a consequence of discharges or spillages from ships.

S:\PROJECTS\USCG\CIRC2\3-EHSAN6.